APPOSATE 81696

MALERO HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

DOVID E. BROOK JAMES M. SHITH LEG R. REFYRILD PATRICL GRANNIAN JOHN L. DUPPE DAVID J. BROOY THOMAS O. HOOSEN M. SCOTT PRINCE JOHN L. DUPPE M. SCOTT PRINCE

ANNE J. COLLINS ROBERT T. CONWAY STEVEN G. DAVIS CAROL A. EGNER DORBEN M. HOGLE J. GRANT HOUSTON J. GRANT HOUSTON PRODNEY D. JOHNSON HELEN LEE ELIZABETH W. MATA TRUGTHY J. MEAGHER ANTHONY P. ONELLO. JR. NINA L. PEARLMUTTER SCOTT D. ROTHENBERGER DEIPORE E. SANDERS

η I. 3

TELEPHONE: (617) 861-6240 · PACSIMILE: (617) 861-9540

MURROE H. HAMELTON (1905-1984)

OF COUNSES. RECHARD A. WISE SUSAN G. L. GLOVSKY

JOHN W. MEDBURY ADMINISTRATIVE DIRECTOR BARBARA J. PORGUE

PATENT ADMINISTRATOR PATENT AGENTS

CAROLYN S. ELMORE PATENTS, TRADES LITIGATION

A GARDON WALKERS LEASA WANGES HILLEN E. WENDLER DARRELL L. WONG
Assistant Commissioner for Patents Mashington, D.C. 20231
Sir: Transmitted herewith for filing is the patent application of
Thventor(s): Mustansir Banatwala and Jorge Camargo
IT Stile: COMPUTER METHOD AND APPARATUS FOR PREVIEWING FILES OUTSIDE OF AN APPLICATION PROGRAM
Specification, Claims, Abstract of the Disclosure
5 sheets of Economical/informal drawings. (Figs. 1, 2, 3A, 3B and 3C
An assignment of the invention to Wang Laboratories, Inc.
A verified statement to establish small entity status under 37 C.F.R. 1.9 and 37 C.F.R. 1.27.
Executed/Waxasanand Combined Declaration/Power of Attorney.
U Other:
EXPRESS MAIL Mailing Label No. EG982404216US
Date of Deposit January 10, 1997
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.
Margaret A. Norcutt (Typed or printed name of person mailing paper or fee)
Harvard d. Marcett () (Signature of person mailing paper or fee)
(signature or person mailing paper or fee)

The filing fee has been calculated as shown below:

·	(Col. 1)	(Col. 2)		SMALI	ENTITY		OTHER SMALL		
FOR	NO. FILED	NO. EXTRA	7	RATE	FEE	1	RATE	Ī	FBE
BASIC FEE				1916111111111	\$ 385	1		\$	770
TOTAL CLAIMS	17 - 20 =	*	7	X \$11=	\$]	X \$22=	\$	
INDEP CLAIMS	3 - 3 =	*		X \$40=	\$]	X \$80=	\$	
MULTIPLE D	EPENDENT CLAIM	PRESENTED		+ \$130=	\$		+ \$260=	\$	
	rence in Col. : zero, enter "		As Fe		ş	As Fe		\$	40
13				Total:	\$	1	Total:	\$	810
Please charge	my Deposit Acco	ount No. 08 -03	80 i	in the amo	ount of \$			_	
(in									
X A check in the	amount of \$	810.00		to a	over the fi	lin	g fee is	en	closed.
Authorization is hereby granted to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 08-0380. Two duplicate copies of this letter are enclosed.									
X Any additional filing fees required under 37 CFR 1.16. X Any patent application processing fees under 37 CFR 1.17.									
Authorization is hereby granted to charge payment of the following fees during pendency of this application or credit any overpayment to Deposit Account No. 08-0380. Two duplicate copies of this letter are enclosed.									
X Any patent application processing fees under 37 CFR 1.17.									
Any filing fees under 37 CFR 1.16 for presentation of extra claims.									
Respectfully submitted,									
	HAMILTON, BROOK, SMITH & REYNOLDS WARY Lou Wakimura 31,804								
Dated: //0/9	77	0	/	Atto	mey for Ap	plī	cant(s)		

WG96-02 MLW23 MLW/man 01/08/97



OMPUTER WOHOD AND APPARATUS FOR PREVIEWING FILE

5 Background of the Invention

Document imaging is a technology that converts paper documents/information into electronic form where storage retrieval can be automated using standard computer technology. By capturing paper documents as 10 electronic images stored by the computer, all the benefits and power of database, e-mail, networks, facsimile and memory storage technologies can be applied to what was once manually processed information.

- Although image documents can be electronically filed using multiple index and filing methods and then quickly searched and retrieved and subsequently shared among multiple users, each task must be controlled and managed through a common application program.
- 20 Typically, to open an application program involves loading object oriented programming controls (e.g., Microsoft Object Linking and Embedding "OLE" controls) and loading the operating system.
- Briefly, OLE controls (called OCX's or ActiveX)
 25 are a type of OLE component standard. OCX's include
 properties, methods and events which enable programmers
 to add specific (well defined) functions to application
 programs. The functions enable end users to perform
 certain tasks on desired data. The self-contained
- 30 objects (OCX's) are portable and insertable into any container or applications program. A "container application" or an OLE "control container" (and generally, "object container") is any working computer

program that is formed or has defined within it OLE components and objects.

Thus the loading, opening and running of an application program takes time and working memory.

In another example of image document search and retrieval, images and respective image information are stored on a database. The database supports a dedicated application program which searches and retrieves images in response to user command. Again the disadvantage of the dedicated application program is the time and working memory required to load the program before running it.

Summary of the Invention

- The present invention overcomes problems of the 15 prior art. In particular the present invention provides a method and apparatus for previewing files, images and image file information without opening and running an application program in working memory. As 20 used herein, "previewing" with respect to a file includes an overview of or summary of file characteristics and contents including images. The summary synopsizes file information and characteristics such as height, width, resolution, compression type 25 used for storing and forming the file, annotation graphics of the file, and the like. The preview provides display of the file images, preferably in a reduced size manner for ease of user previewing. In accordance with the present invention, a
- 30 computer system has (i) a working memory in which application programs are executed and (ii) an operating system. Execution of application programs in the working memory generates files of the computer system.

File preview apparatus and method of the present invention include operating system means coupled to a display assembly for generating display of indications of file characteristics of those files selected by a

5 user. The operating system means obtains and enables display of file characteristics indicia, outside of an application program opened and running in the working memory. The display assembly is responsive to the operating system means and provides display of the file 10 characteristics indicia in a manner free of opening an application program in the working memory.

In one embodiment, the operating system means is a file manager of the operating system. The file manager manages files generated by application programs

- 15 executed in the working memory of the computer system. The file manager also enables user selection of a desired file and display of indicia of file characteristics of the desired file, without opening and running an application program in working memory.
- In another embodiment, the present invention is employed as an extension of an existing file manager. The preexisting file manager is an original part of the operating system and manages files of the computer system. The present invention extension of the file
- 25 manager provides user selection of desired files and generates indicia of the user selected file, for display through the display assembly, in a manner free of opening an application program in working memory.

In another embodiment, the operating system means 30 is a document manager of the operating system. The document manager manages groups of files (e.g., folders) and enables display of indications of file grouping characteristics in response to user command.

The document manager enables such display through the display assembly, without opening an application in working memory. Similar to the preexisting file manager embodiment, the document manager may be a

5 preexisting part of the operating system, and the present invention implementation is an extension thereof to provide preview ability of file groups.

In either case of the present invention extending a preexisting file manager or document manager, the 10 extension shares a user interface in common with the file manager/document manager. This provides a seamless and effectively full integration of the extension with the operating system.

15 Brief Description of the Drawings

The foregoing and other objects, features and advantages of the invention will be apparent from the following more particular description of preferred embodiments and the drawings in which like reference 20 characters refer to the same parts throughout the different views. The drawings are not necessarily to scale, emphasis instead being placed upon illustrating the principles of the invention.

Figure 1 is a block diagram of a computer 25 apparatus employing the present invention.

Figure 2 is a block diagram of a preferred embodiment of the present invention.

Figures 3A-3C are flow diagrams of the embodiment of Figure 2.

30

Detailed Description of the Preferred Embodiment

Generally speaking, a computer system is formed of a digital processor (including a central processing

unit, or "CPU") and various input/output assemblies (e.g., keyboard, mouse, display monitor, printer, and the like). Illustrated in Figure 1 is a digital processor and more specifically the CPU and its major 5 operating parts. Included are an operating system 15 (shown below the solid horizontal line) and a working memory/random access memory 17 (shown above the solid horizontal line). Within the operating system 15 are a plurality of application program and interface shells 10 19a..19n and various working facilities. With respect to working facilities, a file facility 21 (such as Explorer in Microsoft Windows) is typically an inherent part of the operating system 15. Each facility enables a shell extension thereof following programming code 15 and protocol disclosed by Microsoft or the operating system manufacturer.

For example, programmers-users follow the predefined coding and protocol of the file facility 21 to define a desired shell extension thereof. The 20 purpose of the shell extension is defined by the programmer-user to accomplish a desired task through or in conjunction with operation of the file facility 21. One such shell extension for implementing the present invention is further described below.

In the working memory 17 half of Figure 1, there are application programs 11 and object oriented programming controls 13a..13n. The application programs 11 are executed in working memory 17 and generate various files. These files are maintained in 30 a file system 23 which bridges across the working memory 17 and operating system 15. File system 23 follows store, exchange and retrieve protocols of a

database or other accessing protocol common in the art.

To that end, file system 23 may be a database or other working exchangeable and retrievable storage.

In the preferred embodiment of the present invention, an image engine 25 is also supported in 5 working memory 17. The image engine 25 provides generation, maintenance and display of images. In particular, image engine 25 employs subroutines enabling compression, expansion, manipulation, and display of images. These images are stored in file 10 system 23. An example of image engine 25 is the Wang Imaging for Windows software. Other image systems are suitable.

The present invention employs the existing image engine 25 and file facility 21 to provide user preview 15 of files from file system 23 in a manner that does not require the opening and running of an application in working memory 17. Figure 2 illustrates the working details of the present invention. In particular, the present invention is implemented as a shell extension 20 to the file facility 21. In a preferred embodiment, the extension 29 is called the Image shell of the Explorer facility of Microsoft Windows. The Image shell extension 29 includes a call to a dynamic library link (DLL). The key values for calling the DLL are 25 stored in the registry 31 of the operating system 15. In response to a user command (such as click of the right mouse button), the Image shell extension 29 is invoked. In turn, the image shell DLL utilizes the image engine 25 to invoke an appropriate processing 30 task. In particular, the image engine 25 allows the DLL to obtain from the file system 23 the user desired file. The image engine 25 also understands the file

format of the requested file and subsequently enables

display of file information and file contents through a display assembly 27. In particular the image engine 25 provides information regarding file characteristics and file contents including images. The display assembly

5 27 displays that information in text or images.

In one embodiment, the display assembly 27 displays a text indication of file characteristics including but not limited to file height, width, length, color type, resolution, compression type used 10 for forming the file, annotation graphics, and the like. With respect to image contents of the desired file, the display assembly 27 employs a resizing routine so that the image is displayed in various sized windows being viewed by the end user. The resizing 15 routine is of the "fit the window" type known in the art. Generally the resizing routine calculates the ratio of the subject image to the area of the viewing window. The ratio is then used in deleting various pixels from the subject image as stored to form a new 20 "zoomed" working image. The display assembly 27 then supports display of the resulting working image in the targeted viewing area or window viewed by the end user.

Other zooming routines or image sizing routines
25 are suitable, whether they reduce, enhance or enlarge
the subject original image. In the preferred
embodiment, a reduced in size or minified resulting
image is generated by the display assembly 27 for ease
of user viewing. It is understood that other sizes of
30 the subject image for viewing purposes are within the
purview of one skilled in the art.

Figures 3A-3C more specifically detail the image shell extension 29. It is understood that similar

Figure 3a.

functionality may be implemented in a stand-alone module in lieu of the extension 29. In that sense an operating system means provides the dynamic library link to call the image engine in response to user

- 5 command for previewing a desired file from file system 23. Various configurations in hardware or software or combination thereof, or as a stand-alone module or extension of an existing file facility or other facility of the operating system 15 are within the 10 purview of one skilled in the art.
- At any rate, in the preferred embodiment of Figure 2, the flow of control and operation of image shell extension 29 is illustrated in Figures 3a-3c. By way of overview, Figure 3a shows the major steps involved 15 at the operating system level. Figures 3b and 3c describe in particular part the first and last steps of
 - Upon a user's initial command or action (such as selecting a working file name by clicking the right
- 20 mouse button) during running of the file facility 21, the operating system 15 calls the image shell extension DLL (step 50, Figure 3a). This is accomplished by the operating system 15 inquiring the registry 31 for existence of the extension at step 52, Figure 3b. If
- 25 the extension is not listed in the registry 31, then the shell extension routine ends (step 54, Figure 3b). Otherwise, where the shell extension is found to exist in the registry 31 (step 56, Figure 3b), the operating system 15 calls the image shell extension 29 and
- 30 inquires the extension for support of the file type of the working file selected by the user. If the shell extension 29 does not support the subject file type, then the shell extension routine ends (step 54, Figure

- 3b). Otherwise, in the case where the shell extension 29 supports the subject file type, the operating system runs a base code and then runs the extension code (step 58, Figure 3b).
- 5 Returning to step 60 of Figure 3a, the foregoing includes the shell extension routine of Figure 3b returning to the file facility 21 (which is the initial caller of the shell extension) a reference to the user interface. In turn the file facility 21 responds by 10 putting up a user interface of its own. Next the file facility 21 uses the passed user interface reference of the extension to call the shell extension 29 to post the extension user interface (step 70, Figure 3a). The
- 15 interface 80. Thereafter the shell extension posts in its user interface pertinent file information of the subject file (step 82, Figure 3a) as supported by image engine 25 described in Figure 3C and discussed next.

shell extension 29 initializes and posts its user

From the initial user command/action, the 20 operating system 15 passes the file name of the subject working file to the shell extension 29 (step 85, figure 3C). In turn, the shell extension 29 checks the validity of the subject working file by opening the file through the image engine 25 (step 87, Figure 36).

- 25 If the image engine 25 does not support the data (data type) within the file, then the processing between shell extension 29 and image engine 25 ends at step 89 in Figure 3C. If the image engine 25 supports the file data, then shell extension 29 obtains from image engine
- 30 25 information regarding the first page of the subject file (step 90, Figure 3C). To accomplish this, the image engine 25 opens the subject working file and reads file information regarding each page. After

り

reading the first page information, the image engine 25 returns that set of information to the shell extension 29 at step 92, Figure 3b. In response to the information obtained from the image engine 25, shell

5 extension 29 uses the user interface reference previously passed to file facility 21 and displays the information in the previously initialized user interface of the extension (step 94, Figure 3C).

Upon user command/action to display an image of 10 the subject working file, image shell extension 29 calls image engine 25 at step 96 of Figure 3b. Image engine 25 responds by interpreting various fields of the subject file and determines whether a minified version of the requested image was prestored (step 98,

- 15 Figure 3b). If the image engine 25 finds a prestored, reduced-in-size (or so called "thumbnail") rendition of the image, then image engine 25 produces a display of the minified image through the shell extension user interface (step 97). If the image engine 25 does not
- 20 find a predefined thumbnail of the requested image, then image engine 25 decompresses the file image data (knowing the compression type interpreted from a pertinent field of the subject working file) and generates a reduced-in-size rendition of the image
- 25 using "fit the window" techniques mentioned above (step 95). In either case of the image engine finding a prestored thumbnail rendition of the image or generating one "on the fly", the shell extension user interface displays the desired minified image to the
- 30 end user.

The image shell 29 and image engine 25 continue to display file information and images upon user request/

command following the steps 94, 96, 98, 95 and 97 shown in Figure 3C and described above.

Equivalents

While the invention has been particularly shown and described with reference to a preferred embodiment thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the spirit and 10 scope of the invention as defined by the appended claims.

For example, the shell extension of the present invention may extend from various file facilities including a file manager or folder manager or the like.

- 15 Although the foregoing preferred embodiment is described with respect to a file manager type facility, it is understood that similar extensions may be provided from other operating system facilities, in the manner described above, to provide file previewing 20 outside of opening and running an application program in working memory.
- Although the preferred embodiment is described with respect to a Microsoft operating system, the present invention may be employed in various operating 25 systems.

CLAIMS

 In a computer system having (i) a working memory in which application programs are executed, and (ii) an operating system including a file manager for managing files of application programs executed in the working memory, file and file image preview apparatus comprising:

an extension coupled to the operating system in a manner such that the extension is entirely integrated with the operating system, the extension enabling user selection of a desired file and in response to user selection of the desired file, the extension enabling display of an indication of file characteristics of the desired file in a manner free of opening an application program in working memory and hence external to application programs in the working memory; and

a display assembly responsive to the extension for displaying the indication of file characteristics of the user-selected desired file, in a manner free of opening an application program in working memory, such that a preview of the user-selected desired file is provided.

2. Apparatus as claimed in Claim 1 wherein the extension is coupled to the file manager of the operating system, such that the extension utilizes a user interface in common with the file manager to effectively provide full integration of the extension with the operating system.

- Apparatus as claimed in Claim 1 wherein the extension in response to user selection of a desired file further enables display of a working image from the file.
- Apparatus as claimed in Claim 3 wherein the display of the working image is a reduced-in-size version of the working image.
- 5. Apparatus as claimed in Claim 1 wherein the indication of file characteristics include indications of at least one of height, width, length, color type, resolution, compression type used for storing and forming the file, and annotation graphics of the file.
- Apparatus as claimed in Claim 1 wherein the file manager is a document manager for managing directories of files, and

the extension enables display of an indication of directory characteristics of a userdesired directory.

7. In a computer system having (i) an operating system and (ii) a working memory for executing application programs, file and file image previewing apparatus comprising:

a file manager coupled to the operating system, the file manager (a) managing files generated by application programs executed in the working memory and (b) enabling display of indicia of file characteristics of a user-selected file, said file manager being coupled to the operating system in a manner such that said display of

indicia of file characteristics is generated outside of an application program opened and running in the working memory and hence external to application programs in the working memory; and

- a display assembly responsive to the file manager for displaying indicia of file characteristics of the bser-selected file, outside of an application program opened and running in working memory, said display assembly thus providing a preview of the user selected file.
- A system as claimed in Claim 7 wherein the file manager in response to user selection of a desired file further enables display of a working image from the file.
- A system as claimed in Claim 8 wherein the display of the working image is a reduced-in-size version of the working image.
- Apparatus as claimed in Claim 7 wherein the indicia of file characteristics include indications of at least one of height, width, length, color type, resolution, compression type used for storing and forming the file, and annotation graphics of the file.
- 11. Apparatus as claimed in Claim 7 wherein the file manager includes a document manager for managing folders of files generated by application programs executed in the working memory, and enables display of indicia of folder characteristics of respective user-selected folders in a manner free

- 511007

of opening and running an application program in working memory, to provide respective preview of the user-selected folder.

12. In a computer system, a method of displaying file characteristics including images of a userselected file, to provide a preview of the file, comprising the steps of:

providing a working memory for executing application programs;

executing application programs in said working memory in response to user command, said execution of the application program generating files of the computer system;

providing operating system means for enabling display of indications of file characteristics of a file selected by a user, the operating system means enabling display of file characteristics outside of an application program opened and running in the working memory; and

in a manner free of opening and running an application program in the working memory, displaying the indications of file characteristics of a user-selected file, in response to user command for previewing that file.

13. A method as claimed in Claim 12 further comprising the steps of:

through the operating system means, enabling display of a working image from the user selected file; and

displaying a working image with the indications of file characteristics of said file.

- 14. A method as claimed in Claim 13 wherein the steps of enabling display of a working image and displaying the working image include reducing size of the working image to provide a minified rendition of the working image for previewing purposes.
- 15. A method as claimed in Claim 12 wherein the step of phoviding indications of file characteristics includes displaying indications of at least one of height, width, length, color type, resolution, compression type used for storing and forming the file, and anhotation graphics of the file.
- 16. A method as claimed in Claim 12 wherein said step of displaying indications of file characteristics includes providing a display assembly responsive to the operating system means for displaying indications of file characteristics outside of an application program opened and running in working memory.
- 17. A method as claimed in Claim 12 wherein the step of providing operating system means includes at least one of:

providing a document manager in an operating system, the document manager for managing groupings of files, the document manager enabling display of indications of respective characteristics of user-selected groupings of the files, in a manner free of opening an application program in the working memory; and

providing a file manager in an operating system, the file manager for managing files generated from application programs executed in the working memory, the file manager enabling display of indications of file characteristics of user-selected files, in a manner free of opening an application program in the working memory.

COMPUTER METHOD AND APPARATUS FOR PREVIEWING FILES OUTSIDE OF AN APPLICATION PROGRAM

Abstract of the Invention

5

A method and apparatus for previewing images and image file information without opening and running an application in working memory. The previewing of a user-selected file includes a summary of file 10 characteristics and contents including images. summary synopsizes file information and characteristics such as height, width, length, color type, resolution, compression type used for storing and forming the file, annotation graphics of the file and the like. The 15 preview also provides display of the file images, preferably in a reduced size manner for ease of user previewing. The file preview apparatus and method of the present invention include operating system means coupled to a display assembly for generating display of 20 indications of file characteristics of the userselected files. The operating system means obtains and enables display of file characteristics indicia, external to and outside of an application program opened and running in the working memory. The display 25 assembly is responsive to the operating system means and provides display of the file characteristics indicia in a manner free of opening an application

program in the working memory.

S. CHARLES CALLEDA





Fig3A


Flow diagram of the shell extension



Fy3B

82/

Image Engine 25



DAYBIEGE DIIDOY

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Declaration for Patent Application

As a named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to $\ensuremath{\mathtt{my}}$ name;

I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled

COMPUTER METHOD AND APPARATUS FOR PREVIEWING FILES OUTSIDE OF AN APPLICATION PROGRAM

the specification of which (check one)

[X	1	is	attached	hereto
----	---	----	----------	--------

3	was filed on	as United States Application
	Number or PCT International Application	Serial No
	and was amended on	(if applicable).

- I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.
- I acknowledge the duty to disclose information which is known by me to be material to patentability as defined in 37 C.F.R. \$1.56.
- I hereby claim foreign priority benefits under Title 35, United States Code, \$119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

	Prior Foreign	Application(s)	Priority Not Claimed
(Number)	(Country)	(Day/Month/Year filed)	[]
(Number)	(Country)	(Day/Month/Year filed)	[]
(Number)	(Country)	(Day/Month/Year filed)	[]
	penefit under 35 U.S. cion(s) listed below.	C. §119(e) of any United St	ates
(Application Number)		(Filing Date)	
78		(Biling Date)	

I hereby claim the benefit under Title 35, United States Code, \$120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, \$112, I acknowledge the duty to disclose information known by me too be material to patentability as defined in 37 C.P.R. 81.56 which occurred between

14
2 42 14
4
1
h
13
ď
CT 10
65
10
-
į
122
The state of
4

(Application Serial No.) (Filing date)	(Status, patented, pending, abandoned
(Application Serial No.) (Filing date)	(Status, patented, pending, abandoned
As a named inventor, I hereby appoint agent(s) to prosecute this application and and Trademark Office connected therewith.	the following attorney(s) and/or transact all business in the Patent
I also hereby grant additional Powers attorney(s) and/or agent(s) to file and pro under the Patent Cooperation Troaty based u including a power to meet all designated of states:	secute an international application pon the above-identified application.
David E. Brook Reg. No. 22,592 James M. Smith Reg. No. 28,043 Leo R. Reynolds Reg. No. 20,884 Fatricia Granahan Reg. No. 32,227 Mary Lou Wakimura Reg. No. 31,804	Thomas O. Hoover Reg. No. 32,470 Alice O. Carroll Reg. No. 33,542 N. Scott Pierce Reg. No. 34,900 Richard A. Wise Reg. No. 18,041
all of Hamilton, Brook, Smith and Reynolds, Massachusetts 02173;	P.C., Two Militia Drive, Lexington,
and	
	ook, Smith & Reynolds, P.C.
Two Militia Lexington, N	Drive Massachusetts 02173
Direct telephone calls to: Mary Lou W	
·	
617-861-62	:40
I hereby declare that all statements true and that all statements made on inform true; and further that these statements wer false statements and the like so made are p both, under Section 1001 of Title 18 of the willful false statements may jeopardize the patent issued thereon.	mation and belief are believed to be e made with the knowledge that willful unishable by fine or imprisonment, or United States Code and that such
Full name of sole will name of sole or first inventor Munstansir Banatwala	
Inventor's Signature B. Mullaum?	Date 740 09 1997
Residence 29 Fairway Drive	
Hudson, New Hampshire 03051-5207	
Citizenship India	
Post Office Address same as above	

DEFECTION DISTRICT

Full name of second joint	
inventor, if any Jorge Camargo	
Second Inventor's	Date 8 1997
Signature	Date 11 VIII
Residence 14 Lynwood Lane	
Westford, Massachusetts 01886	
CitizenshipMexico	
Post Office Address same as above	